Application No.	Applicant(s)	Applicant(s)	
09/910.198	SIDWELL ET AL.		
Examiner	Art Unit		
Bao-Thuy L. Nguyen	1641		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>amendment file don 6/25/2004</u> .			
2. The allowed claim(s) is/are 1, 4-9, 11, 14-16, 18, 23 and 24 which have been renumbered.			
3. The drawings filed on 16 July 2002 are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
6. ⊠ Interview Sumn Paper No./Mai 3), 7. ⊠ Examiner's Am	nary (PTO-413), I Date endment/Comment	,	
	Examiner Bao-Thuy L. Nguyen ars on the cover sheet with the COR REMAINS) CLOSED in this or other appropriate communic GHTS. This application is subjusted and MPEP 1308. //25/2004. Which have been renumbered arminer. der 35 U.S.C. § 119(a)-(d) or (formal of this communication to file a received in Application. The communication to file a received in Section of this application. And the submitted of the submitted. The communication is subjusted in the submitted of the submitted. The communication is subjusted in the submitted of the submitted. The communication is subjusted in the submitted of the submitted. The communication is subjusted in the submitted of the submitted of the submitted. The communication is subjusted in the submitted of	Examiner Bao-Thuy L. Nguyen 1641 ars on the cover sheet with the correspondence addr OR REMAINS) CLOSED in this application. If not includ or other appropriate communication will be mailed in due GHTS. This application is subject to withdrawal from issu and MPEP 1308. 255/2004. Which have been renumbered. aminer. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No cuments have been received in this national stage application for this application. tted. Note the attached EXAMINER'S AMENDMENT or No. Is reason(s) why the oath or declaration is deficient. the submitted. and the correspondence addr or (f). the submitted. and MPEP 1308. The provious	

Application/Control Number: 09/910,198 Page 2

Art Unit: 1641

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with Bella Fishman on August 19, 2004.

The application has been amended as follows:

Claim & (currently amended) A lateral flow immunoassay device comprising:

a white porous nitrocellulose membrane for enabling capillary migration of a fluid sample therealong;

a labeled reagent disposed on the strip, said labeled reagent being formulated for suspension in the sample migrating therepast;

a captive reagent immobilized on the strip in a path of sample migration, said captive reagent being formulated to bind to said labeled reagent to form a visible colored site on the strip; and

an element for changing the white strip to a color which enhances visual perception of said colored site, said element comprising a [colored or a clear backing for supporting the membrane and respectively a clear or] colored transparent film [adhered thereof] adhering to said test strip.

Claim 18 (currently amended) The improvement according to claim 16 wherein said colored background <u>further</u> comprises a transparent film disposed over said strip.

Application/Control Number: 09/910,198

Art Unit: 1641

9

Claim 28 (New) The device according to claim 8 wherein said element further comprises a colored backing for supporting the membrane.

Claim 24 (New) the device according to claim 8 wherein said element further comprises a clear backing for supporting the membrane and the colored transparent film is adhered to said clear backing.

3. The following is an examiner's statement of reasons for allowance:

The claims define over the prior art of record because the prior art of record fail to teach a lateral flow immunoassay device having a transparent colored film disposed over the porous strip to provide a complimentary color background for the detection site in order to increase visual perception of the detection site. The prior art of record also fail to specifically teach using specific color schemes such as those disclosed. Even though Chandler teaches the use of contrasting colors as label and background material, Chandler fails to specify the specific color schemes.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao-Thuy L. Nguyen whose telephone number is (571) 272-0824. The examiner can normally be reached on Tuesday and Thursday from 9:00 a.m. - 4:30 p.m..

Art Unit: 1641

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bao-Thuy L. Nguyen
Primary Examiner
Art Unit 1641
8/20/0 4